
pddl4j*rospyDocumentation*

Release latest

Oct 19, 2020

Contents

Welcome to GitHub Pages

You can use the [editor on GitHub](https://github.com/pellierd/pddl4j_rospy/edit/master/docs/index.md) to maintain and preview the content for your website in Markdown files.

Whenever you commit to this repository, GitHub Pages will run [Jekyll](<https://jekyllrb.com/>) to rebuild the pages in your site, from the content in your Markdown files.

Markdown

Markdown is a lightweight and easy-to-use syntax for styling your writing. It includes conventions for

““markdown Syntax highlighted code block

Header 1 ## Header 2 ### Header 3

- Bulleted
 - List
1. Numbered
 2. List

Bold and *_Italic_* and *Code* text

[Link](url) and ![Image](src) ““

For more details see [GitHub Flavored Markdown](<https://guides.github.com/features/mastering-markdown/>).

Jekyll Themes

Your Pages site will use the layout and styles from the Jekyll theme you have selected in your [repository settings](https://github.com/pellierd/pddl4j_rospy/settings). The name of this theme is saved in the Jekyll *_config.yml* configuration file.

Support or Contact

Having trouble with Pages? Check out our [documentation](<https://docs.github.com/categories/github-pages-basics/>) or [contact support](<https://github.com/contact>) and we'll help you sort it out.